## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant(s): Maria Adele Pacciarini et al Examiner: Ganapathy Krishnan

Serial No · 09/786.998 Art Unit: 1623

Filed: June 14, 2001 Docket: 17815

November 7, 2011

For: USE OF METHOXYMORPHOLINO Dated:

DOXORUBICIN FOR THE TREATMENT

OF A LIVER TUMOR

Confirmation No.: 1122

Commissioner for Patents P. O. Box 1450

Alexandria, VA 22313-1450

## INFORMATION DISCLOSURE STATEMENT

Sir:

In accordance with 37 C.F.R §§1.97 and 1.98, it is requested that the following references, which are also listed on the attached Information Disclosure Citation, be made of record in the above-identified case.

- 1. De Takats P.G. et al., "Phase IB Study of Methoxymorpholinodoxorubicin (PNU152243; FCE 23762) Administered in a 3 or 4 Weekly Schedule", Clinical Pharmacology and Phase I Studies (September 18, 1997), Abstract;
- 2. Quintieri L. et al., "Delivery of Methoxymorpholinyl Doxorubicin by Interleukin 2-Activated NK Cells: Effect in Mice Bearing Hepatic Metastases", British Journal of Cancer 79(7/8):1067-1073 (March 1999):

## CERTIFICATE OF ELECTRONIC FILING

I hereby certify that this correspondence is being deposited with the United States Patent & Trademark Office via Electronic Filing through the United States Patent and Trademark Office ebusiness website.

Dated: November 7, 2011

- Vasey P.A. et al., "Phase I Clinical and Pharmacokinetic Study of 3'-Deamino-3'-(2-Methoxy-4-Morpholiny)Doxorubicin (FCE 23762)", Cancer Research 55(10):2090-2096 (May 15, 1995);
- Taub R.N. et al., "Phase II Study of Methoxymorpholinodoxorubicin in Advanced Sarcomas (PNU/S2243 (FCE 23762))", Proceedings of the Annual Meeting of the America Society of Clinical Oncology Vol. 16 (May 17-20, 1997). Abstract:
- Robert J. et al., "Pharmacokinetics and Metabolism of Anthracyclines", Cancer Surveys 17:219-252 (1993);
- Rougier P. et al., "Intérêt Des Chimiothérapies Loco-Régionales Par Les Anthracyclines", Pathologies Biologie 35(1):123-128 (1987);
- Kirk S. et al., "Irresectable Hepatoma Treated by Intrahepatic Iodized Oil Doxorubicin Hydrochloride: Initial Results", Surgery 109(6):694-697 (1991);
- Carr B.I. et al., "Prolonged Survival With Chemotherapy Alone for Hepatocellular Carcinoma (HCC) With Intra-Arterial Chemotherapy" Proceedings of the American Society of Clinical Oncology Vol. 13 (March 1994), Abstract;
- Carr B.I. et al., "Phase II Study of Spherex (Degradable Starch Microspheres)
   Injected into the Hepatic Artery in Conjunction With Doxorubicin and Cisplatin
   in the Treatment of Advanced-Stage Hepaccellular Carcinoma: Interim
   Analysis", Seminars in Oncology 24(2), Suppl 6 pp. S6-97-S6-99 (April 1997);
- Lai E.C.S., "Postoperative Adjuvant Chemotherapy After Curative Resection of Hepatocellular Carcinoma: A Randomized Controlled Trial", Arch. Surg. 133:183-188 (February 1998):
- Ripamonti M. et al., "In Vivo Anti-Tumour Activity of FCE 23762, a Methoxymorpholinyl Derivative of Doxorubicin Active on Doxorubicin-Resistant Tumour Cells", Br. J. Cancer 65:703-707 (1992);
- Ripamonti M. et al., "Morpholinylanthracyclines: Cytotoxicity and Antitumor Activity of Differently Modified Derivatives", *Investigational New Drugs* 14:139-146 (1996);
- Capranico G. et al., "Influence of Structural Modifications at the 3' and 4'
  Positions of Doxorubicin on the Drug Ability to Trap Topoisomerase II and to
  Overcome Multidrug Resistance", Molecular Pharmacology 45:908-915 (1994);

- 14. Winette T.A. et al., "The Role of Methoxymorpholino Anthracycline and Cyanomorpholino Anthracycline in a Sensitive Small-Cell Lung-Cancer Cell Line and its Multidrug-Resistant but P-Glycoprotein-Negative and Cisplatin-Resistant Counterparts", Cancer Chemother Pharmacol. 35:345-348 (1995);
- Duran G.E. et al., "Differential Single-Versus Double-Strand DNA Breakage Produced by Doxorubicin and its Morpholinyl Analogues", Cancer Chemother Pharmacol. 38:210-216 (1996);
- Geroni C. et al., "L1210 Cells Selected for Resistance to Methoxymorpholinyl Doxorubicin Appear Specifically Resistant to this Class of Morpholinyl Derivatives", Br. J. Cancer 69:315-319 (1994);
- Bakker M. et al., "Mechanisms for High Methoxymorpholino Doxorubicin Cytotoxicity in Doxorubicin-Resistant Tumor Cell Lines", Int. J. Cancer 73:362-366 (1997);
- Bielack S.S. et al., "Structurally Modified Anthracyclines Retain Activity in a Cell Line With Simultaneous Typical and Atypical Multidrug Resistance", Anticancer Research 15:1279-1284 (1995):
- Colleoni et al., "Arterial Chemoembolization With Epirubicin in Unresectable Hepatocellular Carcinoma in Cirrhosis", Ann. Oncol. Vol. 5(Suppl 8) (1994), Abstract;
- Lai C.L. et al., "Doxorubicin Versus No Antitumor Therapy in Inoperable Hepatocellular Carcinoma. A Prospective Randomized Trial", Cancer Vol. 62/3):479-483 (August 1, 1988), Abstract;
- Shepherd FA et al., "Treatment of Primary Hepatocellular Carcinoma by Hepatic Arterial Infusion of 4'-Epirubicin (Eng.)", Reg Cancer Treat Vol. 3(4):197-201 (1990), Abstract;
- Ono T. et al., "Adjuvant Chemotherapy With Epirubicin and Carmofur After Radical Resection of Hepatocellular Carcinoma: A Prospective Randomized Study", Semin Oncol. Vol. 24(2 Suppl 6):S6-18-S6-25 (April 1997), Abstract;
- Wassermann K. et al., "Effects of Morpholinyl Doxorubicins, Doxorubicin, and Actinomycin D on Mammalian DNA Topoisomerases I and II", Mol. Pharmacol. 38(I):38-45 (July 1, 1990), Abstract;
- Takayasu Y. et al., "Merits and Demerits of Arterially Administered Large-Dose Anticancer Agent, Lipiodol Emulsion", Cancer and Chemotherapy 15(8-Part-II):2562-2567 (1988);

- English-language machine translation of Russian Patent Application No. RU 2 065 307, published August 20, 1996; and
- International Search Report dated May 3, 2000 received from the European Patent Office from related International Patent Application No. PCT/EP99/06298.

Applicants are submitting a copy of the above-cited references required by 37 C.F.R. § 1.98 (a)(2)(i) and (ii), together with a copy of the International Search Report.

Inasmuch as this Information Disclosure Statement is being submitted in accordance with the schedule set out in 37 C.F.R. §1.97(e), please charge the \$180.00 fee to deposit account no. 19-1013/SSMP.

Respectfully submitted,

Peter I. Bernstein Registration No. 43,497

Scully, Scott, Murphy & Presser, P.C. 400 Garden City Plaza, Suite 300 Garden City, New York 11530 (516) 742-4343 PIB:dk

INFORMATION DISCLOSURE CITATION		Atty. Docket No. 17815	Application No.			
(Use several sheets if necessary)		Applicants	09/786,998			
		Maria Adele Pacciarini et al.				
		Filing Date	Group Art Unit			
		June 14, 2001	1623			
OTHER (Including Author, Title, Date, Pertinent Pages, Etc.)						
/G.K./	Administered in a 3 or 4 Weekly S 1997), Abstract	tudy of Methoxymorpholinodoxorubicin (PNU152243; FCE 23762) Schedule", Clinical Pharmacology and Phase I Studies (September 18,				
	Effect in Mice Bearing Hepatic Me	t al., "Delivery of Methoxymorpholinyl Doxorubicin by Interleukin 2-Activated NK Cells: e Bearing Hepatic Metastases", British Journal of Cancer 79(7/8):1067-1073 (March 1999)				
	Morpholinyl)Doxorubicin (FCE 23	Vasey P.A. et al., "Phase I Clinical and Pharmacokinetic Study of 3'-Deamino-3'-(2-Methoxy-4-Morpholinyl)Doxorubicin (FCE 23762)", Cancer Research 55(10):2090-2096 (May 15, 1995)				
	(PNU/S2243 (FCE 23762))", Proc	Taub R. N. et al., "Phase II Study of Methoxymorpholinodoxorubicin in Advanced Sarcomas (PNU/S2243 (FCE 23762))", Proceedings of the Annual Meeting of the America Society of Clinical Oncology Vol. 16 (May 17-20, 1997), Abstract				
	Robert J. et al., "Pharmacokinetics (1993)	Robert J. et al., "Pharmacokinetics and Metabolism of Anthracyclines", Cancer Surveys 17:219-252				
	Rougier P. et al., "Intérêt Des Chimiothérapies Loco-Régionales Par Les Anthracyclines", Pathologies Biologie 35(1):123-128 (1987)					
	Kirk S. et al., "Irresectable Hepatoma Treated by Intrahepatic Iodized Oil Doxorubicin Hydrochloride: Initial Results", Surgery 109(6):694-697 (1991)					
	With Intra-Arterial Chemotherapy" (March 1994), Abstract					
	Carr B.I. et al., "Phase II Study of Spherex (Degradable Starch Microspheres) Injected into the Hepatic Artery in Conjunction With Doxorubicin and Cisplatin in the Treatment of Advanced-Stage					
	Hepaocellular Carcinoma: Interim Analysis", Seminars in Oncology 24(2), Suppl 6 pp. S6-97-S6-99 (April 1997)					
	Lai E.C.S., "Postoperative Adjuvant Chemotherapy After Curative Resection of Hepatocellular Carcinoma: A Randomized Controlled Trial", Arch. Surg. 133:183-188 (February 1998)					
	Doxorubicin Active on Doxorubici	Ripamonti M. et al., "In Vivo Anti-Tumour Activity of FCE 23762, a Methoxymorpholinyl Derivative of Doxorubicin Active on Doxorubicin-Resistant Tumour Cells", Br. J. Cancer 65:703-707 (1992)				
	Ripamonti M. et al., "Morpholinylanthracyclines: Cytotoxicity and Antitumor Activity of Differently Modified Derivatives", <i>Investigational New Drugs</i> 14:139-146 (1996)					
	the Drug Ability to Trap Topoisom Pharmacology 45:908-915 (1994)	tructural Modifications at the 3' and 4' erase II and to Overcome Multidrug Re	sistance", Molecular			
Winette T.A. et al., "The Role of Methoxymorpholino Anthracycline and Cyanomorpholino Anthracycline in a Sensitive Small-Cell Lung-Cancer Cell Line and its Multidrug-Resistant but P-Glycoprotein-Negative and Cisplatin-Resistant Counterparts", Cancer Chemother Pharmacol. 35:345-348 (1995)						
EXAMINER	/Ganapathy Krishnan/	DATE CONSIDERED 12/30/20	11			
	: Initial if reference considered, whether or not cital		ne through citation if not in			

INFORMATION DISCLOSURE CITATION		Atty. Docket No. 17815	Application No. 09/786,998		
(Use several sheets if necessary)		Applicants Maria Adele Pacciarini et al.			
		Filing Date June 14, 2001	Group Art Unit 1623		
OTHER (Including Author, Title, Date, Pertinent Pages, Etc.)					
and its Morpholinyl Analogues", C		gle-Versus Double-Strand DNA Breakage Produced by Doxorubicin Jancer Chemother Pharmacol. 38:210-216 (1996);			
	Geroni C. et al., "L1210 Cells Selected for Resistance to Methoxymorpholinyl Doxorubicin Appear Specifically Resistant to this Class of Morpholinyl Derivatives", <i>Br. J. Cancer</i> 69:315-319 (1994)				
	Bakker M. et al., "Mechanisms for High Methoxymorpholino Doxorubicin Cytotoxicity in Doxorubicin- Resistant Tumor Cell Lines", <i>Int. J. Cancer</i> 73:362-366 (1997)				
	Simultaneous Typical and Atypical	Modified Anthracyclines Retain Activity in a Cell Line With Multidrug Resistance", Anticancer Research 15:1279-1284 (1995)			
	Colleoni et al., "Arterial Chemoem in Cirrhosis", Ann. Oncol. Vol. 5(S	emoembolization With Epirubicin in Unresectable Hepatocellular Carcinoma of 5 (Suppl 8) (1994), Abstract			
		sus No Antitumor Therapy in Inoperable Hepatocellular Carcinoma. A Cancer Vol. 62(3):479-483 (August 1, 1988), Abstract			
	Shepherd FA et al., "Treatment of Primary Hepatocellular Carcinoma by Hepatic Arterial Infusion of 4'- Epirubicin (Eng.)", Reg Cancer Treat Vol. 3(4):197-201 (1990), Abstract				
	Ono T. et al., "Adjuvant Chemotherapy With Epirubicin and Carmofur After Radical Resection of Hepatocellular Carcinoma: A Prospective Randomized Study", Semin Oncol. Vol. 24(2 Suppl 6):S6-18- S6-25 (April 1997), Abstract				
	Wassermann K. et al., "Effects of Morpholinyl Doxorubicins, Doxorubicin, and Actinomycin D on Mammalian DNA Topoisomerases I and II", Mol. Pharmacol. 38(1):38-45 (July 1, 1990), Abstract				
	Takayasu Y. et al., "Merits and Demerits of Arterially Administered Large-Dose Anticancer Agent, Lipiodol Emulsion", Cancer and Chemotherapy 15(8-Part-II):2562-2567 (1988)				
***************************************	August 20, 1996	ion of Russian Patent Application No. I	7,1		
International Search Report dated May 3, 2000 received from the European Patent Office from related International Patent Application No. PCT/EP99/06298					
EXAMINER	/Ganapathy Krishnan/	DATE CONSIDERED 12/30/2011			
* EXAMINER: conformance and	Initial if reference considered, whether or not cital not considered. Include copy of this form with no	tion is in conformance with MPEP 609; draw I ext communication to applicant.	ine through citation if not in		